

Giggleston

ACT-1510

Equipment Manufacturer



FRONT



SIDE





Playworld Systems, Inc.
 1000 Buffalo Road
 Lewisburg, PA
 17837-9795 USA



EQUIPMENT SIZE:
8,59M x 5,14M x 3,4M

USE ZONE:
11,65M x 8,72M

AREA: **66,42 SqM.** PERIMETER: **34,89M**

FALL HEIGHT:
1,25M

USER CAPACITY: **24** AGE GROUP: **2-6**



✓ EN-1176



PROJECT NO:
ACT-1510A

SCALE:
1:50

DRAWN BY:
M. MERTZ

Paper Size

DATE:
11-SEP-11

A3

*PLAYGROUND SUPERVISION REQUIRED

GIGGLESTON
 INTERNATIONAL CATALOG PRE-DESIGN

Giggleston

Design Number: ACT-1510A - Bill Of Material

Ref. No.	Part No.	Description	Quantity
Activity Panels			
1	ZZAC0035	OUTRIGGERS FOR PANELS	2
2	ZZAC0039	ACTIVO BAMBINO TACTILE PANEL	1
3	ZZAC0041	ACTIVO BAMBINO COUNTING PANEL	1
4	ZZAC0042	ACTIVO BAMBINO MOVE-IT PANEL	1
5	ZZAC0043	ACTIVO BAMBINO JUMBLE PANEL	1
Climbers			
6	ZZAC0030	ACTIVO BAMBINO A-FRAME	1
Balance			
7	ZZAC0033	ACTIVO BAMBINO ARCH - COCOON	1
8	ZZAC0034	ACTIVO BAMBINO ARCH - BASKET SWAY	1
Additional Tool & Maintenance Kits			
9	ZZAC0044	ACTIVO BAMBINO (EN) - FINGER ENTRAP. PREVENTION KIT	1
10	ZZACGUID	ACTIVO GUIDELINES	1
11	ZZXX0087	ACTIVO MAINTENANCE KIT W/O AEROSOL	1
12	ZZXX0109	EN-1176 LABEL	1

Giggleston

Design Number: ACT-1510A - Compliance and Technical Data

Reference Document: EN1176:2008

Ref. No.	Part No.	Qty.	Description	Unit EN Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
1	ZZAC0035	2	OUTRIGGERS FOR PANELS	Certified	166.08			371	0	2.50	0.12	0
2	ZZAC0039	1	ACTIVO BAMBINO TACTILE PANEL	Certified	26.93			326	2	0.50	0.00	1
3	ZZAC0041	1	ACTIVO BAMBINO COUNTING PANEL	Certified	33.31			439	0	0.50	0.00	0
4	ZZAC0042	1	ACTIVO BAMBINO MOVE-IT PANEL	Certified	37.72			458	2	0.50	0.00	1
5	ZZAC0043	1	ACTIVO BAMBINO JUMBLE PANEL	Certified	41.53			684	2	0.50	0.00	1
6	ZZAC0030	1	ACTIVO BAMBINO A-FRAME	Certified	1,061.23			3,731	6	10.50	0.63	3
7	ZZAC0033	1	ACTIVO BAMBINO ARCH - COCOON	Certified	217.67			1,309	3	3.00	0.26	1
8	ZZAC0034	1	ACTIVO BAMBINO ARCH - BASKET SWAY	Certified	154.19			878	2	2.00	0.26	1
9	ZZAC0044	1	ACTIVO BAMBINO (EN) - FINGER ENTRAP. PREVENTION KIT	N/A	0.62			14	0	0.25	0.00	0
10	ZZACGUID	1	ACTIVO GUIDELINES	N/A	0.00			1	0	0.25	0.00	0
11	ZZXX0087	1	ACTIVO MAINTENANCE KIT W/O AEROSOL	N/A	11.08			66	0	0.00	0.00	0
12	ZZXX0109	1	EN-1176 LABEL	Certified	0.01			0	0	0.50	0.00	0
Totals:					1,750.37	268	437	8,277	17	21.00	1.27	8
					787.67 Kg	121 Kg	197 Kg	8 Metric Tons			0.97 m3	



Giggleston

Design Number: ACT-1510A - Compliance and Technical Data

Reference Document: EN1176:2008

Ref. No.	Part No.	Qty.	Description	Unit EN Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
----------	----------	------	-------------	----------------	--------------------	-------------------------------------	-----------------------------	----------------------	-------	---------------	-----------------	--------------------

EN1176:2008

This custom structure, drawing number ACT-1510A, has been designed to meet the general safety requirements of EN1176:2008. These requirements have been established with the consideration of the risk factor on available data. The items listed as certified have been reviewed and approved by a third party certification service. In addition to the product listing the overall layout and design of this structure, as shown in the plan, was completed in accordance with the general safety requirements of EN1176:2008.

Installation Times

Installation times are based on one experienced installer. A crew of three experienced individuals can perform the installation within the given time, each member working 1/3 of the given hours. [Eg. Installation Time = 30 hours. For a crew of three, each member will work 10 hours on the installation for a total of 30 hours on the project.]

Carbon Footprint

The CO2e (carbon footprint given in Kilograms and Metric Tons) listed above is a measure of the environmental impact this play structure represents from harvesting raw materials to the time it leaves our shipping dock. Playworld Systems nurtures a total corporate culture that is focused on eliminating carbon producing processes and products, reducing our use of precious raw materials, reusing materials whenever possible and recycling materials at every opportunity. Playworld Systems elected to adopt the Publicly Available Specification; PAS 2050 as published by the British Standards Institute and sponsored by Defra and the Carbon Trust. The PAS 2050 has gained international acceptance as a specification that measures the greenhouse gas emissions in services and goods throughout their entire life cycle.

Pre-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was captured as waste and diverted from landfill during an initial manufacturing process and is being redirected to a separate manufacturing process to become a different product. E.g. 100% of our Aluminum Tubing is made from captured waste material during the manufacturing process of extruded Aluminum products such as rods, flat bars and H-channels.

Post-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was once another product that has completed its lifecycle and has been diverted from a landfill as a solid waste through recycling and is now being used in a Playworld Systems' product. E.g. **20% to 40% of the steel in our steel tubing and sheet steel have been diverted from landfills. Automobiles are scrapped and recyclable steel is purchased by the steel mill that produces our raw product.

** The amount of Post-Consumer recycled steel fluctuates daily based on the availability of the recycled steel.