

Play Fundamentals

International Collection

Equipment Manufacturer



IPL-1432

AGES: 3-14

PLAY EVENTS: 10

USE ZONES: 8,31m x 9,10m

WEIGHT: 676 kg

SIZE: 4,57m x 5,52m x 4,36m

CAPACITY: 25


TO INSTALL: 29,25 hours





FRONT



BACK





PLAYWORLD SYSTEMS, INC.
 1000 Buffalo Road
 Lewisburg, PA
 17837-9795 USA

EQUIPMENT SIZE:
4,57M x 5,52M x 4,36M

USE ZONE:
9,1M x 8,31M

AREA: **70.04M²** PERIMETER: **31,31M**

FALL HEIGHT:
2,2M

USER CAPACITY: **24** AGE GROUP: **3-14**

EN-1176

PROJECT NO:
IPL-1432B

SCALE:
1:50

DRAWN BY:
I. PERKINS

Paper Size

DATE:
04-FEB-16

A3

*PLAYGROUND SUPERVISION REQUIRED

IPL-1432
 CATALOG PRE-DESIGN

IPL-1432B

Design Number: IPL-1432B - Bill Of Material

Ref. No.	Part No.	Description	Quantity
Posts			
1	ZZCH0009	3.5in OD x 112in STEEL POST W/RIVETED CAP	1
2	ZZCH0018	3.5in OD x 124in STEEL POST W/RIVETED CAP	1
3	ZZCH0028	3.5in OD x 136in STEEL POST W/ RIVETED CAP	6
4	ZZCH0069	3.5in OD x 184in STEEL POST W/O CAP	4
Decks & Kick Plates			
5	ZZCH0616	SQUARE COATED DECK ASSEMBLY	3
Slides			
6	ZZCH2658	GLIDE SLIDE (60in DECK)	1
7	ZZCH8080	SLIDING POLE (60in DECK)	1
Activity Panels			
8	ZZCH4646	STORE FRONT PANEL	1
9	ZZCH4807	OVAL INSERT PANEL (DECK MOUNT)	1
10	ZZUN4299	STEERING WHEEL (CH/EX PIPE WALL MOUNT FOR 4in CENTERS)	1
11	ZZUN4806	SHIFTING SANDS PANEL INSERT	1
Barriers			
12	ZZCH4095	CENTERLINE PIPE WALL BARRIER	1
13	ZZCH4288	ACCESS GATE	3
Climbers			
14	ZZCH6190	24in DECK TO DECK CLIMBER	1
15	ZZCH8289	RIBBON CLIMBER (36in DECK)	1
Overhead Events			
16	ZZCH5960	OVERHEAD EVENT ACCESS LADDER (24in DECK)	1
17	ZZCH6808	SKY SWIVELS	1
18	ZZCH6936	HORIZONTAL LADDER W/ PARALLEL BARS	1
Roofs & Arches			
19	ZZCH9846	CABANA ROOF	1
Additional Tool & Maintenance Kits			
20	ZZCHGUID	CHALLENGER GUIDELINES	1
21	ZZUN9910	SURFACING WARNING LABEL KIT	1
22	ZZUN9935	PIPE SYSTEMS MAINTENANCE KIT W/O AEROSOL	1
23	ZZUN9995	TOOL AND ADDITIONAL PARTS KIT W/O AEROSOL	1
24	ZZXX0049	EN & JPFA HOLE PLUG KIT FOR ECO-ARMOR (150 COUNT)	1
25	ZZXX0109	EN-1176 LABEL	1

IPL-1432B

Post/Installation: Steel-Footed

Design Number: IPL-1432B - Pricing Schedule
2016 Pricing

Ref. No.	Part No.	Qty.	Description	Unit Weight (lbs)	Unit List (US\$)	Total Weight (lbs)	Total List (US\$)
Modular Playscape:							
Posts							
1	ZZCH0009	1	3.5in OD x 112in STEEL POST W/RIVETED CAP	35.4	155.00	35.40	155.00
2	ZZCH0018	1	3.5in OD x 124in STEEL POST W/RIVETED CAP	38.91	164.00	38.91	164.00
3	ZZCH0028	6	3.5in OD x 136in STEEL POST W/ RIVETED CAP	43.51	175.00	261.06	1,050.00
4	ZZCH0069	4	3.5in OD x 184in STEEL POST W/O CAP	56.71	167.00	226.84	668.00
Decks & Kick Plates							
5	ZZCH0616	3	SQUARE COATED DECK ASSEMBLY	54.86	791.00	164.58	2,373.00
Slides							
6	ZZCH2658	1	GLIDE SLIDE (60in DECK)	135.48	1,464.00	135.48	1,464.00
7	ZZCH8080	1	SLIDING POLE (60in DECK)	57.73	669.00	57.73	669.00
Activity Panels							
8	ZZCH4646	1	STORE FRONT PANEL	33.98	641.00	33.98	641.00
9	ZZCH4807	1	OVAL INSERT PANEL (DECK MOUNT)	28.16	530.00	28.16	530.00
10	ZZUN4299	1	STEERING WHEEL (CH/EX PIPE WALL MOUNT FOR 4in CENTERS)	5.29	125.00	5.29	125.00
11	ZZUN4806	1	SHIFTING SANDS PANEL INSERT	22.97	666.00	22.97	666.00
Barriers							
12	ZZCH4095	1	CENTERLINE PIPE WALL BARRIER	28.74	363.00	28.74	363.00
13	ZZCH4288	3	ACCESS GATE	17.34	278.00	52.02	834.00
Climbers							
14	ZZCH6190	1	24in DECK TO DECK CLIMBER	41.34	590.00	41.34	590.00
15	ZZCH8289	1	RIBBON CLIMBER (36in DECK)	35.02	526.00	35.02	526.00
Overhead Events							
16	ZZCH5960	1	OVERHEAD EVENT ACCESS LADDER (24in DECK)	23.52	339.00	23.52	339.00
17	ZZCH6808	1	SKY SWIVELS	103.86	1,610.00	103.86	1,610.00
18	ZZCH6936	1	HORIZONTAL LADDER W/ PARALLEL BARS	126.22	1,190.00	126.22	1,190.00
Roofs & Arches							
19	ZZCH9846	1	CABANA ROOF	76.05	956.00	76.05	956.00
Additional Tool & Maintenance Kits							
20	ZZCHGUID	1	CHALLENGER GUIDELINES	0	0.00	0.00	0.00
21	ZZUN9910	1	SURFACING WARNING LABEL KIT	0.05	0.00	0.05	0.00
22	ZZUN9935	1	PIPE SYSTEMS MAINTENANCE KIT W/O AEROSOL	0	0.00	0.00	0.00
23	ZZUN9995	1	TOOL AND ADDITIONAL PARTS KIT W/O AEROSOL	0	0.00	0.00	0.00
24	ZZXX0049	1	EN & JPFA HOLE PLUG KIT FOR ECO-ARMOR (150 COUNT)	4.51	0.00	4.51	0.00



IPL-1432B

Post/Installation: Steel-Footed

Design Number: IPL-1432B - Pricing Schedule
2016 Pricing

Ref. No.	Part No.	Qty.	Description	Unit Weight (lbs)	Unit List (US\$)	Total Weight (lbs)	Total List (US\$)
25	ZZXX0109	1	EN-1176 LABEL	0.01	0.00	0.01	0.00
						Total:	1,501.74 14,913.00
Independent Items:							
						Total:	0.00 0.00
Grand Total:						1,501.74	14,913.00

Please Note:

1. When placing an order for this project, the drawing number is representative of the Playmakers, Challengers or Explorers playstructure only. Items listed under 'Independent Items' must be listed on your purchase order separately to be included.



IPL-1432B

Design Number: IPL-1432B - Compliance and Technical Data

Reference Document: EN1176:2008

Ref. No.	Part No.	Qty.	Description	Unit EN Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
1	ZZCH0009	1	3.5in OD x 112in STEEL POST W/RIVETED CAP	Certified	35.40			49	0	1.00	0.13	0
2	ZZCH0018	1	3.5in OD x 124in STEEL POST W/RIVETED CAP	Certified	38.91			54	0	1.00	0.13	0
3	ZZCH0028	6	3.5in OD x 136in STEEL POST W/ RIVETED CAP	Certified	261.06			351	0	6.00	0.75	0
4	ZZCH0069	4	3.5in OD x 184in STEEL POST W/O CAP	Certified	226.84			292	0	4.00	0.50	0
5	ZZCH0616	3	SQUARE COATED DECK ASSEMBLY	Certified	164.58			521	9	3.00	0.00	0
6	ZZCH2658	1	GLIDE SLIDE (60in DECK)	Certified	135.48			562	2	2.00	0.03	1
7	ZZCH8080	1	SLIDING POLE (60in DECK)	Certified	57.73			159	1	1.50	0.03	1
8	ZZCH4646	1	STORE FRONT PANEL	Certified	33.98			243	3	1.00	0.00	1
9	ZZCH4807	1	OVAL INSERT PANEL (DECK MOUNT)	Certified	28.16			211	0	0.50	0.00	0
10	ZZUN4299	1	STEERING WHEEL (CH/EX PIPE WALL MOUNT FOR 4in CENTERS)	Certified	5.29			27	1	0.25	0.00	1
11	ZZUN4806	1	SHIFTING SANDS PANEL INSERT	Certified	22.97			256	1	0.50	0.00	1
12	ZZCH4095	1	CENTERLINE PIPE WALL BARRIER	Certified	28.74			71	0	0.50	0.00	0
13	ZZCH4288	3	ACCESS GATE	Certified	52.02			196	0	1.50	0.00	0
14	ZZCH6190	1	24in DECK TO DECK CLIMBER	Certified	41.34			145	1	1.00	0.00	1
15	ZZCH8289	1	RIBBON CLIMBER (36in DECK)	Certified	35.02			101	2	1.50	0.06	1
16	ZZCH5960	1	OVERHEAD EVENT ACCESS LADDER (24in DECK)	Certified	23.52			69	1	1.50	0.06	0
17	ZZCH6808	1	SKY SWIVELS	Certified	103.86			357	2	1.00	0.00	1
18	ZZCH6936	1	HORIZONTAL LADDER W/ PARALLEL BARS	Certified	126.22			251	1	0.00	0.00	1
19	ZZCH9846	1	CABANA ROOF	Certified	76.05			390	0	0.50	0.00	0
20	ZZCHGUID	1	CHALLENGER GUIDELINES	N/A	0.00			1	0	0.25	0.00	0
21	ZZUN9910	1	SURFACING WARNING LABEL KIT	N/A	0.05			1	0	0.25	0.00	0
22	ZZUN9935	1	PIPE SYSTEMS MAINTENANCE KIT W/O AEROSOL	N/A				57				
23	ZZUN9995	1	TOOL AND ADDITIONAL PARTS KIT W/O AEROSOL	N/A				42				



IPL-1432B

Design Number: IPL-1432B - Compliance and Technical Data

Reference Document: EN1176:2008

Ref. No.	Part No.	Qty.	Description	Unit EN Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
24	ZZXX0049	1	EN & JPFA HOLE PLUG KIT FOR ECO-ARMOR (150 COUNT)	Certified	4.51			158	0	0.00	0.00	0
25	ZZXX0109	1	EN-1176 LABEL	Certified	0.01			0	0	0.50	0.00	0
Totals:					1,501.74	225	463	4,564	24	29.25	1.68	9
					675.78 Kg	101 Kg	208 Kg	5 Metric Tons			1.28 m3	



IPL-1432B

Design Number: IPL-1432B - Compliance and Technical Data

Reference Document: EN1176:2008

Ref. No.	Part No.	Qty.	Description	Unit EN Status	Total Weight (lbs)	Pre-Consumer Recycled Content (lbs)	Post-Consumer Content (lbs)	CO2e Footprint (kgs)	Users	Install Hours	Concrete (Yds3)	Active Play Events
----------	----------	------	-------------	----------------	--------------------	-------------------------------------	-----------------------------	----------------------	-------	---------------	-----------------	--------------------

EN1176:2008

This custom structure, drawing number IPL-1432B, has been designed to meet the general safety requirements of EN1176:2008. These requirements have been established with the consideration of the risk factor on available data. The items listed as certified have been reviewed and approved by a third party certification service. In addition to the product listing the overall layout and design of this structure, as shown in the plan, was completed in accordance with the general safety requirements of EN1176:2008.

Installation Times

Installation times are based on one experienced installer. A crew of three experienced individuals can perform the installation within the given time, each member working 1/3 of the given hours. [E.g. Installation Time = 30 hours. For a crew of three, each member will work 10 hours on the installation for a total of 30 hours on the project.]

Carbon Footprint

The CO2e (carbon footprint given in Kilograms and Metric Tons) listed above is a measure of the environmental impact this play structure represents from harvesting raw materials to the time it leaves our shipping dock. Playworld Systems nurtures a total corporate culture that is focused on eliminating carbon producing processes and products, reducing our use of precious raw materials, reusing materials whenever possible and recycling materials at every opportunity. Playworld Systems elected to adopt the Publicly Available Specification; PAS 2050 as published by the British Standards Institute and sponsored by Defra and the Carbon Trust. The PAS 2050 has gained international acceptance as a specification that measures the greenhouse gas emissions in services and goods throughout their entire life cycle.

Pre-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was captured as waste and diverted from landfill during an initial manufacturing process and is being redirected to a separate manufacturing process to become a different product. E.g. 100% of our Aluminum Tubing is made from captured waste material during the manufacturing process of extruded Aluminum products such as rods, flat bars and H-channels.

Post-Consumer Recycle Content

A measurement, in pounds, that qualifies the amount of material that was once another product that has completed its lifecycle and has been diverted from a landfill as a solid waste through recycling and is now being used in a Playworld Systems' product. E.g. **20% to 40% of the steel in our steel tubing and sheet steel have been diverted from landfills. Automobiles are scrapped and recyclable steel is purchased by the steel mill that produces our raw product.

** The amount of Post-Consumer recycled steel fluctuates daily based on the availability of the recycled steel.

